| | | | | Insoluble solids | | | | | | | | | | Dust Deposition g/m2/mth | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Identification reference | Location Summary | Chainage | Key receiver | May-23 | Variance | Jun-23 | Variance | Jul-23 | Variance | Aug-23 | Variance | Sep-23 | Variance | Oct-23 | Variance | Nov-23 | Variance | Dec-23 | Variance | Jan-24 | Variance | Feb-24 | Variance | Mar-24 | Variance | Apr-24 | Variance | May-24 | Variance | Jun-24 | Variance | Jul-24 | Variance | Aug-24 | Variance | Sep-24 | Variance | Oct-24 | Variance | Nov-24 | Variance | Dec-24 | Variance | Jan-25 | Variance |
| DDG-CRR-1 | Compound (N) | 22700 | Harp of Erin | 1.3 | N/A | 2.8 | 1.5 | 3.0 | 0.2 | 2.7 | -0.3 | 2.9 | 0.2 | 2.6 | -0.3 | 3 | 0.4 | 1.1 | -1.9 | 2.3 | 1.2 | 2.4 | 0.1 | 2.4 | 0 | 1.8 | -0.6 | 1.6 | -0.2 | 1.3 | -0.3 | 1.7 | 0.4 | 1.7 | 0 | 1.2 | -0.5 | 0.9 | -0.3 | 0.8 | -0.1 | 0.7 | -0.1 | 0.8 | 0.1 |
| DDG-CRR-2 | Café carpark (N) | 23550 | Hartley Café | 1 | N/A | 0.5 | -0.5 | 2.0 | 1.5 | 0.9 | -1.1 | 1 | 0.1 | 1.3 | 0.3 | 1.9 | 0.6 | 1.3 | -0.6 | 1.3 | 0 | 0.6 | -0.7 | 0.6 | 0 | 0.8 | 0.2 | 0.8 | 0 | 0.3 | -0.5 | 0.6 | 0.3 | 0.9 | 0.3 | 0.9 | 0 | 0.9 | 0 | 0.9 | 0 | 0.9 | 0 | 0.6 | -0.3 |
| DDG-CRR-3 | Lolly Bug (N) | 22230 | Lolly Bug | 1.5 | N/A | 2.9 | 1.4 | 3.6 | 0.7 | **5.9** | **2.3** | 2.3 | -3.6 | 3.3 | 1 | 4.7 | 1.4 | 3.4 | -1.3 | 2.8 | -0.6 | 2.4 | -0.4 | 2.4 | 0 | 1.7 | -0.7 | 1.7 | 0 | 1.7 | 0 | 2.1 | 0.4 | 3 | 0.9 | 3 | 0 | 1.1 | -1.9 | 0.7 | -0.4 | 0.7 | 0 | 0.6 | -0.1 |

| EPA Identification | Type of Monitoring Point | Type of Discharge Point | Location Description | Chainage | Temporary Basin Construction Reference | Site Basin Reference | Design Construction volume (m3) | Operational volume (m3) | Verified construction volume (m3) | Bason construction timing |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Discharge & Monitoring | Discharge & Monitoring | Basin 30001, tributary of Moyne Creek | 24400L | TBC 1 | 30001 | | N/A | | |
| 2 | Discharge & Monitoring | Discharge & Monitoring | Basin 30002, tributary of Coos River 2 | 24125L | TBC 2 | 30002 | | 277.26 - Bioretention | | |
| 3 | Discharge & Monitoring | Discharge & Monitoring | Basin 30003, tributary of Coos River 2 | 23740L | TBC 3 | 30003 | | 347.6 - Bioretention | | |
| 4 | Discharge & Monitoring | Discharge & Monitoring | Basin 30004, tributary of Coos River 1 | 22925L | TBC 4 | 30004 | 450 | 282.8 - Bioretention | | Jun-23 |
| 5 | Discharge & Monitoring | Discharge & Monitoring | Basin 30005, tributary of Coos River 1 | 22780L | TBC 5 | 30005 | 350 | 617.2 - Wet | | Jun-23 |
| 6 | Discharge & Monitoring | Discharge & Monitoring | Basin 30006, tributary of Coos River 2 | 22400L | TBC 6 | 30006 | 811 | 648 - Bioretention | | May-23 |

| Water discharge criteria | Limits |
|---|---|
| Total suspended solids | 50mg/L |
| Turbidity | 50 NTU |
| pH | 6.5 – 8.5 |
| Oil and grease | 10 mg/L |
| Electrical conductivity | 350 µS/cm |
| Note: O&G change to visible from 10mg/L in EPL Variation 3/7/23 | |

| | | | | LAB | | | Conductivity |
|---|---|---|---|---|---|---|---|
| Date | Basin | Basin Discharge Reference | NTU | TSS | pH | O&G | EC |
| | | | 50 | 50 | 6.5-8.4 | Visible | 350 |
| 22/06/2023 | 30006 | 30006/1 | 40 | 43 | 7.3 | Nil | 320 |
| 7/07/2023 | 30005 | 30004/1 | 12 | 18 | 7.1 | Nil | 178 |
| 7/07/2023 | 30006 | 30006/2 | 32 | 34 | 6.9 | Nil | 340 |
| 12/07/2023 | 30006 | 30006/3 | 26 | 28 | 7 | Nil | 344 |
| 25/08/2023 | 30006 | 30006/4 | 21 | 25 | 7.2 | Nil | 189 |
| 16/01/2024 | 30005 | 30004/2 | 21 | 35 | 7.7 | Nil | 187 |
| 3/04/2024 | 30004 | 30004/3 | 32 | 22 | 7.9 | Nil | 195 |
| 3/04/2024 | 30005 | 30005/3 | 14 | 12 | 7.2 | Nil | 258 |
| 8/04/2024 | 30004 | 30004/4 | 2 | 7 | 7.1 | Nil | 305 |
| 8/04/2024 | 30006 | 30006/5 | 8.6 | 10 | 8.5 | Nil | 170 |
| 9/04/2024 | 30006 | 30006/6 | 110 | 11 | 7 | Nil | 120 |
| 12/04/2024 | 30003 | 30003/1 | 65 | 35 | 6.1 | Nil | 240 |
| 12/04/2024 | 30002 | 30002/1 | 28 | 16 | 8.5 | Nil | 220 |
| 12/04/2024 | 30004 | 30004/6 | 3.7 | 7 | 7.1 | Nil | 310 |
| 22/04/2024 | 30004 | 30004/7 | 20 | 13 | 6.8 | Nil | 320 |
| 29/04/2024 | 30004 | 30004/8 | 12 | 10 | 8.3 | Nil | 302 |
| 3/05/2024 | 30004 | 30004/9 | 11 | 15 | 8.2 | Nil | 345 |
| 3/05/2024 | 30005 | 30005/4 | 14 | 24 | 8.2 | Nil | 311 |
| 3/05/2024 | 30006 | 30006/7 | 9.8 | 4 | 7.8 | Nil | 144 |
| 14/05/2024 | 30005 | 30005/5 | 23 | 10 | 7.1 | Nil | 220 |
| 16/05/2024 | 30005 | 30005/6 | 17 | 9 | 8.5 | Nil | 266 |
| 16/05/2024 | 30006 | 30006/8 | 5.5 | 8 | 7.5 | Nil | 180 |
| 30/05/2024 | 30005 | 30005/7 | 24 | 11 | 7.9 | Nil | 285 |
| 11/06/2024 | 30005 | 30005/8 | 2.2 | 13 | 7.7 | Nil | 328 |
| 11/06/2024 | 30006 | 30006/9 | 14 | 6 | 8.5 | Nil | 340 |
| 29/05/2024 | 30006 | 30006/10 | 32 | 30 | 8 | Nil | 160 |
| 11/06/2024 | 30004 | 30004/10 | 9.3 | 8 | 8 | Nil | 213 |
| 11/06/2024 | 30005 | 30005/9 | 32 | 21 | 8.1 | Nil | 255 |
| 11/06/2024 | 30006 | 30006/11 | 8.8 | 5 | 7.8 | Nil | 120 |
| 17/06/2024 | 30004 | 30004/11 | 18 | 4 | 7.3 | Nil | 270 |
| 20/06/2024 | 30004 | 30004/12 | 23 | 9 | 8.2 | Nil | 180 |
| 20/06/2024 | 30002 | 30002/2 | 20 | 2 | 7 | Nil | 310 |
| 20/06/2024 | 30003 | 30003/2 | 38 | 27 | 6.9 | Nil | 340 |
| 24/06/2024 | 30004 | 30004/13 | 10 | 10 | 8.1 | Nil | 312 |
| 24/06/2024 | 30002 | 30002/3 | 50 | 12 | 7.3 | Nil | 330 |
| 24/06/2024 | 30003 | 30003/3 | 34 | 10 | 7.9 | Nil | 340 |
| 25/06/2024 | 30005 | 30005/10 | 3.5 | 2 | 8 | Nil | 350 |
| 25/06/2024 | 30006 | 30006/12 | 7.5 | 2 | 7.4 | Nil | 270 |
| 8/07/2024 | 30006 | 30006/13 | 12 | 4.9 | 6.7 | Nil | 260 |
| 8/07/2024 | 30005 | 30005/12 | 2.9 | 2 | 7.3 | Nil | 300 |
| 8/07/2024 | 30004 | 30004/14 | 12 | 4 | 8 | Nil | 320 |
| 8/07/2024 | 30003 | 30003/5 | 29 | 17 | 7.1 | Nil | 300 |
| 8/07/2024 | 30002 | 30002/4 | 15 | 6 | 6.5 | Nil | 210 |
| 16/07/2024 | 30006 | 30006/14 | 8 | 3.1 | 7.5 | Nil | 200 |
| 16/07/2024 | 30005 | 30005/13 | 15 | 9 | 7.9 | Nil | 275 |
| 16/07/2024 | 30004 | 30004/15 | 24 | 18 | 8.1 | Nil | 345 |
| 16/07/2024 | 30003 | 30003/5 | 12 | 11 | 7.5 | Nil | 210 |
| 16/07/2024 | 30002 | 30002/5 | 20 | 8.5 | 7.9 | Nil | 180 |
| 23/07/2024 | 30006 | 30006/15 | 11 | 3.5 | 7.8 | Nil | 190 |
| 23/07/2024 | 30005 | 30005/14 | 34 | 20 | 7.4 | Nil | 140 |
| 23/07/2024 | 30004 | 30004/16 | 19 | 11 | 8.2 | Nil | 300 |
| 23/07/2024 | 30003 | 30003/6 | 24 | 12 | 7.9 | Nil | 320 |
| 23/07/2024 | 30002 | 30002/6 | 10 | 3.4 | 8.4 | Nil | 300 |
| 29/07/2024 | 30002 | 30002/7 | 28 | 20 | 8.4 | Nil | 240 |
| 29/07/2024 | 30003 | 30003/7 | 29 | 21 | 8.4 | Nil | 240 |
| 8/08/2024 | 30004 | 30004/17 | 25 | 14 | 8.3 | Nil | 270 |
| 26/08/2024 | 30002 | 30002/8 | 41 | 24 | 8.2 | Nil | 295 |
| 26/08/2024 | 30004 | 30004/18 | 32 | 24 | 8.3 | Nil | 320 |
| 26/08/2024 | 30005 | 30005/15 | 8 | 4.1 | 8.4 | Nil | 230 |
| 17/10/2024 | 30002 | 30002/9 | 16 | 12 | 7.6 | Nil | 280 |
| 17/10/2024 | 30003 | 30003/8 | 21 | 16 | 7.5 | Nil | 260 |
| 17/10/2024 | 30004 | 30004/19 | 24 | 18 | 7.5 | Nil | 200 |
| 17/10/2024 | 30005 | 30005/16 | 19 | 15 | 7.6 | Nil | 215 |
| 8/11/2024 | 30002 | 30002/10 | 15 | 10 | 7.7 | Nil | 295 |
| 8/11/2024 | 30003 | 30003/9 | 16 | 12 | 7.3 | Nil | 250 |
| 8/11/2024 | 30004 | 30004/20 | 15 | 12 | 7.3 | Nil | 240 |
| 8/11/2024 | 30005 | 30005/17 | 14 | 18 | 7.2 | Nil | 250 |
| 28/11/2024 | 30002 | 30002/11 | 16 | 12 | 7.5 | Nil | 285 |
| 28/11/2024 | 30003 | 30003/10 | 21 | 16 | 7.5 | Nil | 200 |
| 5/12/2024 | 30002 | 30002/12 | 15 | 8 | 7.6 | Nil | 200 |
| 5/12/2024 | 30003 | 30003/11 | 25 | 14 | 7.9 | Nil | 260 |
| 5/12/2024 | 30004 | 30004/21 | 24 | 17 | 7.2 | Nil | 240 |
| 16/12/2024 | 30002 | 30002/13 | 19 | 13 | 7.2 | Nil | 250 |
| 16/12/2024 | 30005 | 30005/18 | 15 | 13 | 7.1 | Nil | 200 |
| 16/12/2024 | 30006 | 30006/16 | 14 | 13 | 7 | Nil | 180 |
| 18/12/2024 | 30003 | 30003/12 | 13 | 9 | 7.6 | Nil | 210 |
| 10/01/2025 | 30002 | 30002/14 | 24 | 11 | 7.3 | Nil | 285 |
| 10/01/2025 | 30003 | 30003/13 | 26 | 12 | 7.2 | Nil | 265 |
| 13/01/2025 | 30006 | 30006/17 | 21 | 11 | 7.9 | Nil | 200 |
| 14/01/2025 | 30005 | 30005/19 | 21 | 14 | 7.9 | Nil | 200 |
| 15/01/2025 | 30003 | 30003/14 | 28 | 19 | 7.8 | Nil | 210 |
| 15/01/2025 | 30004 | 30004/22 | 19 | 24 | 7.4 | Nil | 210 |
| 17/01/2025 | 30002 | 30002/15 | 11 | 14 | 7.5 | Nil | 280 |
| 7/02/2025 | 30005 | 30005/20 | 25 | 16 | 7.1 | Nil | 205 |
| 17/02/2025 | 30004 | 30004/23 | 26 | 22 | 7 | Nil | 250 |
| 17/02/2025 | 30005 | 30005/21 | 26 | 23 | 7.1 | Nil | 195 |
| 17/02/2025 | 30006 | 30006/18 | 28 | 26 | 6.9 | Nil | 150 |
| 19/02/2025 | 30002 | 30002/16 | 23 | 19 | 7.58 | Nil | 295 |
| 19/02/2025 | 30003 | 30003/15 | 22 | 16 | 7.5 | Nil | 285 |

| Date | Basin Identification | Basin Discharge Reference | Pollutant | Aluminium (dissolved) | Ammonia | Cadmium (dissolved) | Chromium (dissolved) | Cobalt (dissolved) | Copper (dissolved) | Electrical conductivity | Iron (dissolved) | Lead (dissolved) | Nickel (dissolved) | Oil and Grease | pH | Total suspended solids | Turbidity | Zinc (dissolved) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Units of measure | milligrams per litre | milligrams per litre | milligrams per litre | milligrams per litre | milligrams per litre | milligrams per litre | microsiemens per centimeter | milligrams per litre | milligrams per litre | milligrams per litre | milligrams per litre | pH | milligrams per litre | nephelometric turbidity units | milligrams per litre |
| | | | Sampling Method | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Grab sample | Probe | Grab sample | Grab sample | Grab sample |
| 22/06/2023 | 30006 | 30006/1 | LAB / GRAB | <0.1 | 0.2 | <0.0002 | <0.01 | <0.01 | <0.001 | 320 | 0.18 | <0.001 | <0.01 | <2 | 7.3 | 43 | 43 | <0.001 |
| 7/07/2023 | 30005 | 30004/1 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 178 | 0.09 | <0.001 | <0.01 | <2 | 7.1 | 18 | 18 | <0.001 |
| 7/07/2023 | 30006 | 30006/2 | LAB / GRAB | <0.1 | 0.2 | <0.0002 | <0.01 | <0.01 | <0.001 | 340 | 0.17 | <0.001 | <0.01 | <2 | 6.9 | 34 | 34 | <0.001 |
| 12/07/2023 | 30006 | 30006/3 | LAB / GRAB | <0.1 | 0.2 | <0.0002 | <0.01 | <0.01 | <0.001 | 344 | 0.19 | <0.001 | <0.01 | <2 | 7 | 28 | 28 | <0.001 |
| 25/08/2023 | 30006 | 30006/4 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 189 | 0.02 | <0.001 | <0.01 | <2 | 7.2 | 25 | 25 | 0.006 |
| 16/01/2024 | 30005 | 30004/2 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 187 | 0.19 | <0.001 | <0.01 | <2 | 7.7 | 35 | 35 | <0.001 |
| 3/04/2024 | 30004 | 30004/3 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 195 | 0.17 | <0.001 | <0.01 | <2 | 7.9 | 22 | 22 | <0.001 |
| 3/04/2024 | 30005 | 30005/3 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 258 | 0.16 | <0.001 | <0.01 | <2 | 7.2 | 12 | 12 | <0.001 |
| 8/04/2024 | 30004 | 30004/4 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 305 | 0.19 | <0.001 | <0.01 | <2 | 7.1 | 7 | 7 | <0.001 |
| 8/04/2024 | 30006 | 30006/5 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 170 | 0.08 | <0.001 | <0.01 | <2 | 8.5 | 10 | 10 | <0.001 |
| 9/04/2024 | 30006 | 30006/6 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 120 | 0.12 | <0.001 | <0.01 | <2 | 7 | 11 | 11 | <0.001 |
| 12/04/2024 | 30003 | 30003/1 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 240 | 0.08 | <0.001 | <0.01 | <2 | 6.1 | 35 | 35 | <0.001 |
| 12/04/2024 | 30002 | 30002/1 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 220 | 0.02 | <0.001 | <0.01 | <2 | 8.5 | 16 | 16 | <0.001 |
| 12/04/2024 | 30004 | 30004/6 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 310 | 0.06 | <0.001 | <0.01 | <2 | 7.1 | 7 | 7 | <0.001 |
| 22/04/2024 | 30004 | 30004/7 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 320 | 0.1 | <0.001 | <0.01 | <2 | 6.8 | 13 | 13 | <0.001 |
| 29/04/2024 | 30004 | 30004/8 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 302 | 0.15 | <0.001 | <0.01 | <2 | 8.3 | 10 | 10 | <0.001 |
| 3/05/2024 | 30004 | 30004/9 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 345 | 0.14 | <0.001 | <0.01 | <2 | 8.2 | 15 | 15 | <0.001 |
| 3/05/2024 | 30005 | 30005/4 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 311 | 0.14 | <0.001 | <0.01 | <2 | 8.2 | 24 | 24 | <0.001 |
| 3/05/2024 | 30006 | 30006/7 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 144 | 0.16 | <0.001 | <0.01 | <2 | 7.8 | 4 | 4 | <0.001 |
| 14/05/2024 | 30005 | 30005/5 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 220 | 0.15 | <0.001 | <0.01 | <2 | 7.1 | 10 | 10 | <0.001 |
| 16/05/2024 | 30005 | 30005/6 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 266 | 0.12 | <0.001 | <0.01 | <2 | 8.5 | 9 | 9 | <0.001 |
| 16/05/2024 | 30006 | 30006/8 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 180 | 0.12 | <0.001 | <0.01 | <2 | 7.5 | 8 | 8 | <0.001 |
| 30/05/2024 | 30005 | 30005/7 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 285 | 0.14 | <0.001 | <0.01 | <2 | 7.9 | 11 | 11 | <0.001 |
| 11/06/2024 | 30005 | 30005/8 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 328 | 0.08 | <0.001 | <0.01 | <2 | 7.7 | 13 | 13 | <0.001 |
| 11/06/2024 | 30006 | 30006/9 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 340 | 0.08 | <0.001 | <0.01 | <2 | 8.5 | 6 | 6 | <0.001 |
| 29/05/2024 | 30006 | 30006/10 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 160 | 0.09 | <0.001 | <0.01 | <2 | 8 | 30 | 30 | <0.001 |
| 11/06/2024 | 30004 | 30004/10 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 213 | 0.1 | <0.001 | <0.01 | <2 | 8 | 8 | 8 | <0.001 |
| 11/06/2024 | 30005 | 30005/9 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 255 | 0.1 | <0.001 | <0.01 | <2 | 8.1 | 21 | 21 | <0.001 |
| 11/06/2024 | 30006 | 30006/11 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 120 | 0.11 | <0.001 | <0.01 | <2 | 7.8 | 5 | 5 | <0.001 |
| 17/06/2024 | 30004 | 30004/11 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 270 | 0.12 | <0.001 | <0.01 | <2 | 7.3 | 4 | 4 | <0.001 |
| 20/06/2024 | 30004 | 30004/12 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 180 | 0.14 | <0.001 | <0.01 | <2 | 8.2 | 9 | 9 | <0.001 |
| 20/06/2024 | 30002 | 30002/2 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 310 | 0.18 | <0.001 | <0.01 | <2 | 7 | 2 | 2 | <0.001 |
| 20/06/2024 | 30003 | 30003/2 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 340 | 0.19 | <0.001 | <0.01 | <2 | 6.9 | 27 | 27 | <0.001 |
| 24/06/2024 | 30004 | 30004/13 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 312 | 0.17 | <0.001 | <0.01 | <2 | 8.1 | 10 | 10 | <0.001 |
| 24/06/2024 | 30002 | 30002/3 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 330 | 0.04 | <0.001 | <0.01 | <2 | 7.3 | 12 | 12 | <0.001 |
| 24/06/2024 | 30003 | 30003/3 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 340 | 0.08 | <0.001 | <0.01 | <2 | 7.9 | 10 | 10 | <0.001 |
| 25/06/2024 | 30005 | 30005/10 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 350 | 0.08 | <0.001 | <0.01 | <2 | 8 | 2 | 2 | <0.001 |
| 25/06/2024 | 30006 | 30006/12 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 270 | 0.07 | <0.001 | <0.01 | <2 | 7.4 | 2 | 2 | <0.001 |
| 8/07/2024 | 30006 | 30006/13 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 260 | 0.04 | <0.001 | <0.01 | <2 | 6.7 | 4.9 | 4.9 | <0.001 |
| 8/07/2024 | 30005 | 30005/12 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 300 | 0.09 | <0.001 | <0.01 | <2 | 7.3 | 2 | 2 | <0.001 |
| 8/07/2024 | 30004 | 30004/14 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 320 | 0.1 | <0.001 | <0.01 | <2 | 8 | 4 | 4 | <0.001 |
| 8/07/2024 | 30003 | 30003/5 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 300 | 0.1 | <0.001 | <0.01 | <2 | 7.1 | 17 | 17 | <0.001 |
| 8/07/2024 | 30002 | 30002/4 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 210 | 0.11 | <0.001 | <0.01 | <2 | 6.5 | 6 | 6 | <0.001 |
| 16/07/2024 | 30006 | 30006/14 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.11 | <0.001 | <0.01 | <2 | 7.5 | 3.1 | 3.1 | <0.001 |
| 16/07/2024 | 30005 | 30005/13 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 275 | 0.13 | <0.001 | <0.01 | <2 | 7.9 | 9 | 9 | <0.001 |
| 16/07/2024 | 30004 | 30004/15 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 345 | 0.09 | <0.001 | <0.01 | <2 | 8.1 | 18 | 18 | <0.001 |
| 16/07/2024 | 30003 | 30003/5 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 210 | 0.07 | <0.001 | <0.01 | <2 | 7.5 | 11 | 11 | <0.001 |
| 16/07/2024 | 30002 | 30002/5 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 180 | 0.14 | <0.001 | <0.01 | <2 | 7.9 | 8.5 | 8.5 | <0.001 |
| 23/07/2024 | 30006 | 30006/15 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 190 | 0.14 | <0.001 | <0.01 | <2 | 7.8 | 3.5 | 3.5 | <0.001 |
| 23/07/2024 | 30005 | 30005/14 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 140 | 0.13 | <0.001 | <0.01 | <2 | 7.4 | 20 | 20 | <0.001 |
| 23/07/2024 | 30004 | 30004/16 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 300 | 0.11 | <0.001 | <0.01 | <2 | 8.2 | 11 | 11 | <0.001 |
| 23/07/2024 | 30003 | 30003/6 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 320 | 0.08 | <0.001 | <0.01 | <2 | 7.9 | 12 | 12 | <0.001 |
| 23/07/2024 | 30002 | 30002/6 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 300 | 0.07 | <0.001 | <0.01 | <2 | 8.4 | 3.4 | 3.4 | <0.001 |
| 29/07/2024 | 30002 | 30002/7 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 240 | 0.12 | <0.001 | <0.01 | <2 | 8.4 | 20 | 20 | <0.001 |
| 29/07/2024 | 30003 | 30003/7 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 240 | 0.14 | <0.001 | <0.01 | <2 | 8.4 | 21 | 21 | <0.001 |
| 8/08/2024 | 30004 | 30004/17 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 270 | 0.04 | <0.001 | <0.01 | <2 | 8.3 | 14 | 14 | <0.001 |
| 26/08/2024 | 30002 | 30002/8 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 295 | 0.04 | <0.001 | <0.01 | <2 | 8.2 | 24 | 24 | <0.001 |
| 26/08/2024 | 30004 | 30004/18 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 320 | 0.08 | <0.001 | <0.01 | <2 | 8.3 | 24 | 24 | <0.001 |
| 26/08/2024 | 30005 | 30005/15 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 230 | 0.08 | <0.001 | <0.01 | <2 | 8.4 | 4.1 | 4.1 | <0.001 |
| 17/10/2024 | 30002 | 30002/9 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 280 | 0.07 | <0.001 | <0.01 | <2 | 7.6 | 12 | 16 | <0.001 |
| 17/10/2024 | 30003 | 30003/8 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 260 | 0.09 | <0.001 | <0.01 | <2 | 7.5 | 16 | 21 | <0.001 |
| 17/10/2024 | 30004 | 30004/19 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.05 | <0.001 | <0.01 | <2 | 7.5 | 18 | 24 | <0.001 |
| 17/10/2024 | 30005 | 30005/16 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 215 | 0.06 | <0.001 | <0.01 | <2 | 7.6 | 15 | 19 | <0.001 |
| 8/11/2024 | 30002 | 30002/10 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 295 | 0.04 | <0.001 | <0.01 | <2 | 7.7 | 10 | 15 | <0.001 |
| 8/11/2024 | 30003 | 30003/9 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 250 | 0.05 | <0.001 | <0.01 | <2 | 7.3 | 12 | 16 | <0.001 |
| 8/11/2024 | 30004 | 30004/20 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 240 | 0.12 | <0.001 | <0.01 | <2 | 7.3 | 12 | 15 | <0.001 |
| 8/11/2024 | 30005 | 30005/17 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 250 | 0.12 | <0.001 | <0.01 | <2 | 7.2 | 18 | 14 | <0.001 |
| 28/11/2024 | 30002 | 30002/11 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 285 | 0.12 | <0.001 | <0.01 | <2 | 7.5 | 12 | 16 | <0.001 |
| 28/11/2024 | 30003 | 30003/10 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.14 | <0.001 | <0.01 | <2 | 7.5 | 16 | 21 | <0.001 |
| 5/12/2024 | 30002 | 30002/12 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.19 | <0.001 | <0.01 | <2 | 7.6 | 8 | 15 | <0.001 |
| 5/12/2024 | 30003 | 30003/11 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 260 | 0.14 | <0.001 | <0.01 | <2 | 7.9 | 14 | 25 | <0.001 |
| 5/12/2024 | 30004 | 30004/21 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 240 | 0.13 | <0.001 | <0.01 | <2 | 7.2 | 17 | 24 | <0.001 |
| 16/12/2024 | 30002 | 30002/13 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 250 | 0.15 | <0.001 | <0.01 | <2 | 7.2 | 13 | 19 | <0.001 |
| 16/12/2024 | 30005 | 30005/18 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.14 | <0.001 | <0.01 | <2 | 7.1 | 13 | 15 | <0.001 |
| 16/12/2024 | 30006 | 30006/16 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 180 | 0.14 | <0.001 | <0.01 | <2 | 7 | 13 | 14 | <0.001 |
| 18/12/2024 | 30003 | 30003/12 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 210 | 0.14 | <0.001 | <0.01 | <2 | 7.6 | 9 | 13 | <0.001 |
| 10/01/2025 | 30002 | 30002/14 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 285 | 0.16 | <0.001 | <0.01 | <2 | 7.3 | 11 | 24 | <0.001 |
| 10/01/2025 | 30003 | 30003/13 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 265 | 0.11 | <0.001 | <0.01 | <2 | 7.2 | 12 | 26 | <0.001 |
| 13/01/2025 | 30006 | 30006/17 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.14 | <0.001 | <0.01 | <2 | 7.9 | 11 | 21 | <0.001 |
| 14/01/2025 | 30005 | 30005/19 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 200 | 0.13 | <0.001 | <0.01 | <2 | 7.9 | 14 | 21 | <0.001 |
| 15/01/2025 | 30003 | 30003/14 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 210 | 0.08 | <0.001 | <0.01 | <2 | 7.8 | 19 | 28 | <0.001 |
| 15/01/2025 | 30004 | 30004/22 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 210 | 0.08 | <0.001 | <0.01 | <2 | 7.4 | 24 | 19 | <0.001 |
| 17/01/2025 | 30002 | 30002/15 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 280 | 0.08 | <0.001 | <0.01 | <2 | 7.5 | 14 | 11 | <0.001 |
| 7/02/2025 | 30005 | 30005/20 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 205 | 0.09 | <0.001 | <0.01 | <2 | 7.1 | 16 | 25 | <0.001 |
| 17/02/2025 | 30004 | 30004/23 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 250 | 0.02 | <0.001 | <0.01 | <2 | 7 | 22 | 26 | <0.001 |
| 17/02/2025 | 30005 | 30005/21 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 195 | 0.02 | <0.001 | <0.01 | <2 | 7.1 | 23 | 26 | <0.001 |
| 17/02/2025 | 30006 | 30006/18 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 150 | 0.2 | <0.001 | <0.01 | <2 | 6.9 | 26 | 28 | <0.001 |
| 19/02/2025 | 30002 | 30002/16 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 295 | 0..4 | <0.001 | <0.01 | <2 | 7.58 | 19 | 23 | <0.001 |
| 19/02/2025 | 30003 | 30003/15 | LAB / GRAB | <0.1 | <0.1 | <0.0002 | <0.01 | <0.01 | <0.001 | 285 | 0.9 | <0.001 | <0.01 | <2 | 7.5 | 16 | 22 | <0.001 |